Pro-Active and Responsive Facilitation by Interactive,

Single-Window Hub

and Virtuous Environmental



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

To,

The Partner

NYATI CONSTRUCTION PVT. LTD.

S.No. 103, Plot no. 129, 5th Floor, Nyati Unitree, Nagar Road, Yerwada, Pune. -411015

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/242649/2021 dated 03 Dec 2021. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. **Project Type**

4. Category

5. Project/Activity including Schedule No.

6. Name of Project EC22B038MH171759

SIA/MH/MIS/242649/2021

Expansion

B2

8(a) Building and Construction projects

Expansion in Proposed Residential & Commercial project at Survey No. 10/2

Dhanori, Dist. Pune by M/s Nyati Construction Pvt. Ltd.

7. Name of Company/Organization

8. **Location of Project**

9. **TOR Date** NYATI CONSTRUCTION PVT. LTD.

Maharashtra

N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 31/03/2022

(e-signed) Manisha Patankar Mhaiskar **Member Secretary** SEIAA - (Maharashtra)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/242649/2021 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To M/s Nyati Construction Pvt. Ltd., Survey No. 10/2 Dhanori, Dist. Pune

Subject: Environmental Clearance for Proposed Expansion in Proposed

Residential & Commercial construction project at Survey No. 10/2

Dhanori, Dist. Pune by M/s Nyati Construction Pvt. Ltd.

Reference: Application no. SIA/MH/MIS/242649/2021

This has reference to your communication on the above mentioned subject. The proposal was considered by the SEAC-3 in its 134th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 240th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

1.	Proposal Number	SIA/MH/MIS/242649/2021				
2.			osed Residential & Commercial project at hanori, Dist. Pune by M/s Nyati Construction			
3.	Project category	8(a) Building & construction project				
4.	Type of Institution	Private				
5.	Project Proponent	Name	Mr. Pranav Nyati			
14.		Regd. Office address	S. No. 103, Plot No. 129, 5th floor, Nyati Unitree, Nagar Road, Yerwada, Pune.			
		Contact number	+91-20-66863333			
		e-mail	sanctioning@nyatigroup.com			
1	Consultant	Vke: Environmer				
-	Applied for	Expansion in EC.				
-	Details of previous EC		364/2020 Date: 6 th July 2021.			
		Survey No. 10/2 D				
10.	Latitude and Longitude	18°36'19.02" N,	73°54'20.33" E			
11.	Total Plot Area (m2)	31,400.00				
12.	Deductions (m2)	2,062.22				
13.	Net Plot area (m2)	29,337.78				
14.	Proposed FSI area (m2)	1,10,040.48				
15.	Proposed non-FSI area (m2)	37,317.60				
16.	Proposed TBUA (m2)	1,47,358.08				
17.	7. TBUA (m2) approved by In process. Planning Authority till date					

	Ground cove	rage (m2) &	10,246.51				
	Total Projec	t Cost (Rs.)	356.46 (
	CER as per N circular dated		As CER	Activit Location Cost y (Rs.) is under adjudication. PP would like to awardication before committing it to EC.			Duratio n decision
	<please use<br="">=St, Lower Sh></please>	Ground = LG	gends: F , Upper	loor = F, Park Ground = UC	i, Basement =	B, Shops =	Modific ation /
		C / Existing E			osed Configur		Change
	L	Configuratio n	Height (m)	Building Name	Configuration	Height (m)	Change in
		(B+P+13)	42.00	Wing A	(B+P+13)	42.00	building
		}	42.00	Wing B	(B+P+13)	42.00	configura
	Building C	(B+P+13)	42.00	Wing C	(B+P+13)	42.00	tion of Building
	Building D	(B+P+13)	42.00	Wing D	(B+P+13)	42.00	P and
	Building E	(B+P+13)	42.00	Wing E	(B+P+13)	42.00	Building Q and
	Building F	(B+P+13)	42.00	Wing F	(B+P+13)	42.00	addition
	Building G	(B+P+13)	42.00	Wing G	(B+P+13)	42.00	of 3
	Building H	(B+P+13)	42.00	Wing H	(B+P+13)	42.00	wings.
	Building I	(B+P+13)	42.00	Wing I	(B+P+13)	42.00	
	Building J	(B+P+13)	42.00	Wing J	(P+13)	42.00	
		(B+P+13)	42.00	Wing K	(P+13)	42.00	
48.WI		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	42.00	Wing L	(P+13)	42.00	
(j.)	Building M		42.00	Wing M	(P+13)	42.00	1
8			42.00	Wing N	(P+13)	42.00	
		(B+P+13)	42.00	Wing O	(P+13)	42.00	
	A Property Commencer	B+ LG + UG+	72.00	Willig O		72.00	d.ď
	Building P	Mezzanine/fir st+ 2nd to 8th Floors	27.10	Wing P	(B+P+13)	42.00	
	Building Q	G+1	8.40	Wing Q	(B+P+13)	42.00] .
				Wing R	(B+P+13)	42.00	
	The way.			Wing S	(G+1)	8.40	
		·		Wing T (MHADA+ Commercial shops)	(B+GR+11)	37.10	
22.	Total nu	tal number of tenements Residential Flats: 1056 Commercial:57 Shops.					
23	Total number of Population Residential and MHADA: 5602 Commercial: 399, Total: 6,001 nos.						
24						\ \	
<u> 24.</u>	4. Water Dry Season (CMD) Wet Season (CMI					,	

	Budget	Fresh Water 5	10	Fres	h Water		510	
į	Duaget	Recycled 2					00	
		(Gardening)	1		(Gardening)		00	
			5				00	
			56			. 001	256	
			92				766	
			87		tewater		687	
		generation	07	J	eration		007	
	Water	Firefighting - Under	oronr			of 150 k	I D	
25.	Storage	Firefighting - Overh						
	Capacity for		, and mg.					
1	Firefighting		tan Yeye			le de		
	/UGT		autas et et Antidos	e erez. Pares.c.			Dy ^k ,	
26.	Source of	Pune Municipal Cor	porat	ion.	Virile,			
	water							
27.	Rainwater	Level of the Ground	d wat	ter table:	Pre-M	lonsoon:	10 m BGL	
	Harvesting				Post N	Monsoon: 7 m BGL		
	(RWH)	Size and no of RW	H ta	nk(s) and	NA			
		Quantity:						
		Quantity and size o	f recl	harge pits:	6 no.	of recharge pits of size 1.5 m x		
		[6.주변하다] [10.14] [10.14] [10.14] [10.14] [10.14] [10.14] [10.14] [10.14] [10.14] [10.14]			1 x 2.5 m			
		Details of UGT tan	Details of UGT tanks if any: NA			* * * * * * * * * * * * * * * * * * *		
28.	Sewage and	Sewage generation		687	: -	· · · · · · · · · · · · · · · · · · ·		
	Wastewater	CMD:						
		STP technology: MBBR						
.		Capacity of STP 2 STP of Total Capacity 695 KLD (625 KLD and						
İ		(CMD): 70 KLD)						
	Solid Waste	Type	Qua	entity (kg/d)		Treatm	ent / disposal	
ŀ	Manageme nt during	Dry waste:	8 kg/day			The maximum construction		
		Wet waste:		12 kg/day			will be used within the	
i di	Constructi	Construction waste	20 kg/day			site for	leveling purposes and	
752	on					base co	urse preparation of	
	Phase					internal	approach roads.	
30.	Solid	Type	Qua	antity (kg/d)		Treatm	ent / disposal	
	Waste	Dry waste:	116	1168		Handed over to authorized recycler for further handling		
	Manageme							
	nt during						osal purpose.	
	Operation	Wet waste:	171	3	i ja	1	ste will be treated in	
	Phase		a la pa	- NAMES CARREST OF	greeke i		organic waste converter	
		A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		4		machin	e	
		Hazardous waste:		NA		NA		
		Biomedical waste	NA		NA			
			8.8			Handed over to authorized		
1		E-Waste	8.8			l .	· ·	
		E-Waste	8.8			recycle	rs for further handling	
						recycle & dispo	rs for further handling osal purpose.	
		STP Sludge (dry)	68.7	7		recycles & dispo Will be	rs for further handling osal purpose. used as manure	
31.	Green Belt	STP Sludge (dry) Total RG area (m2	68.7	7		will be	rs for further handling osal purpose. used as manure	
31.		STP Sludge (dry) Total RG area (m2 Existing trees on ple	68.7): ot:			will be 3088.19	rs for further handling osal purpose. used as manure	
31.		STP Sludge (dry) Total RG area (m2 Existing trees on ple Number of trees to	68.7): ot: be pla	anted:		will be 3088.19	rs for further handling osal purpose. used as manure	
31.		STP Sludge (dry) Total RG area (m2 Existing trees on ple	68.7): ot: be pla	anted:		will be 3088.19	rs for further handling osal purpose. used as manure	

32.	Power	Source of power suppl	y:	MSEI	OCL			
	requirement:	During Construction Phase (Demand 30)			V			
		Load):		- 1067				
		During Operation pha						
		During Operation pha	se (Demand load):	3323 KVA				
		Transformer:			VA- 5 nos., 31	5 KVA- 1		
				nos.		F 773.74		
	DG set:			1_	VA- 4 nos., 62	.5 K.VA-		
	- I			2 nos.,				
		Fuel used:		Diese	l .			
33.	Details of	Total Energy Saving: i.e			Sec. Sec.			
	Energy	 Solar Water Heating Sy 	stems Will Be Done fo	or Bath	rooms.			
	saving	•Solar lights will be pro	vided for common ame	enities	like Street ligh	ting &		
		Garden lighting.						
		 CFL & LED based light 	ting will be done in the	e comn	non areas, lanc	Iscape		
		areas, signage's, Entry gates and boundary compound walls etc. •Auto Timer Switches will be provided for Street lights, Garden lights,						
		Parking & staircase Lig	hts & Other Common A	Area L	ights, for savin	g		
		electrical energy.	711 mm 111 1	1 C-	W-4 D			
		•Water Level Controller						
		•To create awareness to end consumer or flat owner, for using energy						
		efficient light fittings like CFL, T5 Lamps & LED Lights. •Detail calculations & % of saving: 14.85 %.						
	D •		Cost		<u></u>			
54.	Environment		control – dust	26.44	4344. <u>- 1724 - 12</u> 고객들은 - 121일 등			
	al Managama	In action with the control of the co		20.44				
	Manageme	Environment suppression measures, barricading and top soil						
	nt plan budget							
	during	Land Labour Camp toilets & 9.6						
	Constructi	Land Labour Camp tonets & 9.0 sanitation						
Fitty L	on phase	Paniation						
400	on prase	Health and Labour Safety Equipment's 8.0						
A.		Safety and tra						
			ction and Health	1.26				
		Check-	1951967-086-0674 - 1111-586-641 N.B. M. H. H. H. H. H. H. H. S. H. S. H. S. H. S. H. S. H. S. H. S. H. S. H. H. S. H.					
	* 4	Environment Enviro	nment management	1.75				
		Management cell						
	W. ,	Environment Enviro	nmental Monitoring	3.26				
	<u> </u>	Management		L		1		
35.	Environment	Component	Details		Capital (Rs.)	O&M		
	al			¥ 497		(Rs./Y)		
		Sewage Treatment Plan			8,00,000	2,10,000		
	plan Budget	Solid Waste Manageme		ement	29,98,240	7,68,240		
	during	Bio-medical Waste	Bio-medical Waste	Management		_		
	Operation	Management	Management			1		
	phase	Landscaping	Landscaping			6,04,204		
		Rainwater Harvesting		Rainwater Harvesting		40,000		
		Environmental	Environmental	1,85,000				
	1.	Monitoring	Monitoring		1,00,000			
		Solar Hot water & Sola		Color Hot water & Color		8,11,000		
		PV system	PV system		225,60,000	UUULLAUUU		

		Lightening.	Arrester Cost Lig	htening Arrester Co	ost 153,00,00 2,90,00
36.	Traffic	Type	Required as per	Actual Provided	Total parking Area (m2)
ĺ	Management		DCR		
		4-Wheeler	837	863	28,045.98
		2-Wheeler	2969	2969	7
37.	Details of	NA			<u> </u>
	Court cases /				
	litigations				
	w.r.t. the			S. 140 P. 2	
	project and				
	project				
	location				
	if any.				

3. Proposal is an expansion in existing construction project. PP has obtained EC dated 06.07.2021 for 1,17,000 sqm. Proposal has been considered by SEIAA in its 240th (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to submit plan and approval of Corporation regarding plantation proposed outside plot area. PP to plant and maintain the trees for at least five years which are planted on other site approved by corporation.
- 2. PP to ensure proper hygienic condition as labor camp is proposed on site.
- 3. As per traffic study submitted the LOS of 9 meter access road to the plot is "D". The occupancy certificate shall not be granted by Planning Authority till the road is widened to 24 meters as mentioned during presentation.
- 4. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places.
- 5. PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI- 1,10,040.48 m2, Non-FSI- 37,317.60 m2, Total BUA-1,47,358.08 m2. (Plan approval-DPO/CC/2630/21 dated 3.12.2021).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.

- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.

- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA.

In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Patankar-Mhaiskir (Member Secretary, 3ELA) 22 2

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.